

-
-
,
*,
†
.
* .
† .
.
.
.

Abstract

Endovascular Treatment in a Trauma Patient with Vascular Injury - A case report -

Yong Pil Cho, M.D., Deok Hee Lee, M.D.*, Do-Yun Lee, M.D.†, Hyuk Jai Jang, M.D.,
Wan Soo Kim, M.D., Jee Soo Kim, M.D., Myoung Sik Han, M.D.

Departments of General Surgery and Diagnostic Radiology*, Asan Kangnung Hospital, Kangnung
Department of Diagnostic Radiology,† Yonsei University College of Medicine, Seoul, Korea

The role of vascular and interventional radiology in trauma patients is evolving. In diagnosis, it is increasingly supplanted by less invasive and often more definitive modalities such as computed tomography. At the same time, its use in treatment is constantly expanding. Endovascular interventions are helpful in treating vascular injuries in trauma patients. In some situations, endovascular treatments are as effective as or more effective than surgery, but less invasive. We employed endovascular techniques successfully in two trauma patients with associated injuries and vascular injuries which were difficult to access. The clinical courses of these two patients were uneventful, and they were discharged without complications.

Key Words: Endovascular treatment, Vascular injury, Trauma patient

:

415

Tel : 033) 610-3229, Fax : 033) 641-8120, E-mail : ypcho@knh.co.kr

1
41
가
2
(MRSA)
3
vancomycin
4
stent-graft




Fig. 2. Stent-graft was well-positioned with complete isolation of the pseudoaneurysm.




Fig. 3. Completion arteriogram after stent-graft placement demonstrated a patent graft lumen without arteriographic evidence of perigraft leak of contrast material.



Fig. 4. Lower extremity arteriogram demonstrated a large traumatic arteriovenous fistula between mid peroneal artery and peroneal deep vein. Hypertrophic change of the feeding artery was also noted.



Fig. 5. Follow-up arteriogram showed insufficient microcoil embolization of the fistula, because of the immediate microcoil migration to the deep venous system via the large fistula tract(black arrow head).

가

(Fig. 1).

12F introduce system

proximal bare stent 40mm,
 28mm, stent-graft 30mm,
 10cm, distal bare stent 30mm
 24mm 가 first graft stent
 (dissection orifice)
 graft inner bare
 stent 34mm,
 9.8cm . proximal bare stent가

graft

(Fig. 2)

supra-aortic vessel

(Fig. 3).

stent

2

37

(IM nailing)

7

(thrill)

segmental limb pres-

sure test 1.16/0.98

27mmHg

가 가

3~4

가

(Fig. 4).

Tornado microcoil

6mm

가

10mm

microcoil

coil

(Fig. 5).

가

5F

5-8 coil

4-3 coil 2

8-10 coil 2

가 5-8 coil

4-4 coil 2

4-3 coil 2

(vasospasm)

nitro-

glycerin

(arterial

sheath) 6

. 6

(main peroneal artery)

ing)

가

stump)

2

(early fill-

가

(proximal

가 4-3 coil 6

4-4 coil

가

(Fig. 6).



Fig. 6. Post-embolization arteriogram demonstrated successful coil embolization.

20~35%, 1%

(2).

segmental limb pressure test 1.12/1.13

27mmHg 3mmHg

가

가

70%가

가

가

가

가

24
90%

32% 4

(hypovolemic shock)

가

(laceration)

stent-graft

(transection)

10

가 (pseudoaneurysm)

stent-graft

(arteriovenous fistula)

3

stent

가

가

(3,4).

가

(high-output cardiac failure)

가

가

stent-graft

가

가

가

가

가

(surgical

가

exploration)

가

가 54.6%,

3.1%

(1)

가

(5).

(backbleeding)

가 가

가

가

, stent-graft
가

가 가
가 가

REFERENCES

- 1) Perry MO, Thal ER, Shires GT. Management of arterial injuries. Ann Surg 1971, 173(3):403-408.
- 2) Snyder WH III, Thal ER, Bridges RA, Gerlock AJ, Perry MD, Fry WJ. The validity of normal arteriography in penetrating trauma. Arch Surg 1978, 113(4):424-426.
- 3) Kato N, Dake MD, Miller DC, Semba CP, Mitchell RS, Razavi MK, Kee ST. Traumatic thoracic aortic aneurysm: treatment with endovascular stent-grafts. Radiology 1997, 205(3):657-662.
- 4) Semba CP, Kato N, Kee ST, Lee GK, Mitchell RS, Miller DC, Dake MD. Acute rupture of the descending thoracic aorta: repair with use of endovascular stent-grafts. J Vasc Interv Radiol 1997, 8(3):337-342.
- 5) Fisher RG, Ben-Menachem Y. Interventional radiology in appendicular skeletal trauma. Radiol Clin North Am 1987, 25(6):1203-1209.